

**SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product Name** JOHN PAUL MITCHELL SYSTEMS THE RELAXER REGULAR STRENGTH  
**Product Code #** JPMS-048 REV-00  
**Recommended Use** Chemical Relaxer/ Professional Use Only / Cosmetics  
**CAS #** N/A  
**Manufacturer** Bocchi Laboratories  
**Address** 26421 Ruether Avenue  
Santa Clarita, CA 91350  
**Phone** 661-252-3807  
**Emergency Contact** For all emergencies, call Chem Tel (24 Hours/7 Days): 1-800-255-3924  
International: 00-1-813979-0626  
For all SDS questions or requests call: 1-661-252-3807

**SECTION 2: HAZARD(S) IDENTIFICATION**

**Hazard Classifications:** Corrosives

**Pictograms:**

**Precautionary Statements:** For Professional Use Only. Avoid contact with skin, scalp and ears. Wear protective gloves.

**If in Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**If on Skin:** Rinse skin with water. Immediately call a POISON center or doctor/physician

**If Swallowed:** Immediately call a POISON Center or doctor/physician

**Hazard Statement:** Keep out of reach of children.

Percent of the mixture consisting of ingredient(s) of unknown toxicity: N/A

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Designation (INCI)	% Composition	CAS	EINECS
Aqua (Water, Eau)	≤ 47.10	7732-18-5	231-791-2
Petrolatum	15-20	8009-03-8	232-373-2
Mineral Oil	15-20	8012-95-1	232-384-2
Propylene Glycol	1-5	57-55-6	200-338-0
Cetearyl Alcohol	1-5	67762-27-0	267-008-6
Dicetyl Phosphate	1-5	2197-63-9	N/A
Ceteth-10 Phosphate	1-5	N/A	N/A
Ceteth-2	1-5	5274-61-3	N/A
Sodium Hydroxide	1-5	1310-73-2	215-185-5
Fragrance	0.010 - 1.00	N/A	N/A
Trade Secret	0.010 - 1.00	N/A	N/A

### SECTION 4: FIRST AID MEASURES

- Eyes:** Corrosive, If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.
- Skin:** Corrosive, Contact with skin can cause irritation or severe burns. Get medical attention.
- Inhalation:** Severe irritant, Symptoms may include sneezing, sore throat and runny nose. If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.
- Ingestion:** Corrosive, Swallowing may cause severe burns of mouth, throat and stomach. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

### SECTION 5: FIRE FIGHTING MEASURES

**Fire Hazard:** Material may be ignited, for example in a fire. Relative hazard is anticipated

to be the same as typical combustible materials.

Use foam, carbon dioxide, and dry chemical or water spray when fighting fires.

**Flash Point F(C):** N/A

**Flammable Limits:** Product is not known to be flammable, combustible or explosive.

**Extinguishing Media:** Use foam, carbon dioxide, and dry chemical or water spray when fighting fires

**Special protective Equipment and firefighting procedures:** In case of fire, use normal firefighting equipment including a NIOSH approved self-contained breathing apparatus (SCBA). Use water to cool containers

**Unusual Fire & Explosion:** N/A

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal

**Precautions:** See Section 8.

### Spills/ Leaks:

**SPILL ON LAND (LARGE SPILL):** Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors and skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**SPILL ON WATER (LARGE SPILL):** Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**SMALL SPILLS:** Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

## SECTION 7: HANDLING & STORAGE

**Handling:** **STORAGE TEMPERATURE:** Ambient  
**LOADING/UNLOADING TEMPERATURE:** Ambient  
**STORAGE AND HANDLING:** Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

**Storage:** **STORAGE TEMPERATURE:** Ambient  
**LOADING/UNLOADING TEMPERATURE:** Ambient  
**STORAGE AND HANDLING:** Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limits:

**OSHA Permissible Exposure Limits (PELs) :** N/A

**Threshold Limit Values (TLVs):** N/A

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

#### Personal Protective Equipment:

**Face:** Safety Glasses

**Eyes:** Safety Glasses

**Skin:** Compatible chemical-resistant gloves and Lab Coat.

**Respiratory:** NIOSH approved respirator, as conditions warrant.

**Pictograms:**



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Uniform, Opaque Viscous Cream	<b>Upper Flammability/Explosive Limit:</b>	N/A
<b>Odor:</b>	Light Fruity (Fresh)	<b>Lower Flammability/Explosive Limit:</b>	N/A
<b>pH value @ 25°C:</b>	N/A	<b>Vapor Pressure:</b>	N/A
<b>Melting Point F(C):</b>	N/A	<b>Vapor Density:</b>	
<b>Freezing Point F(C):</b>	N/A	<b>Vapor Temperature:</b>	N/A
<b>Boiling Point F(C):</b>	N/A	<b>Relative Density/Specific Gravity (@ 25°C):</b>	0.94 - 0.99
<b>Boiling Range:</b>	N/A	<b>Solubility:</b>	N/A
<b>Flash Point F(C):</b>	N/A	<b>Partition Coefficient:</b>	N/A
<b>Flash Point Method used:</b>	N/A	<b>Auto-ignition temperature:</b>	N/A
<b>Evaporation Rate:</b>	N/A	<b>Decomposition temperature:</b>	N/A
<b>Flammability:</b>	N/A	<b>Viscosity (@ 25°C):</b>	300,000 – 700,000 cps (RVT #TD @ 5 rpm)

### SECTION 10: STABILITY AND REACTIVITY

**Chemical Reactivity:** N/A

**Chemical Stability:** Stable under normal conditions of storage and handling.

**Conditions to Avoid:** Keep from freezing.

**Materials to Avoid:** None known.

**Hazardous Decomposition:** Will not occur.

**SECTION 11: TOXICOLOGICAL INFORMATION****Inhalation****Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not known

**Ingestion****Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not known

**Eyes****Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not known

**Skin****Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not Known

**Carcinogens listing:****NTP:** Not Available**IARC:** Not Available**OSHA:** Not Available**GHS:** Not Available**Chronic Toxicity:** Not Available**SECTION 12: ECOLOGICAL INFORMATION****Aquatic Toxicity:** Not Available**Biodegradability:** Not Available**Bioaccumulation:** Not Available**SECTION 13: DISPOSAL CONSIDERATION**

All recovered material should be packaged, labeled, transported, disposed, and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies.

Empty containers may be disposed of as normal refuse. Recycle whenever possible.

### SECTION 14 : TRANSPORT INFORMATION

#### Land transport U.S. DOT

Proper Shipping Name: Consumer Commodity

Hazard class: - ORM-D

Packaging group: III

#### Maritime transport IMDG:

IMDG Class: 8

UN Number: UN3263

Label: 8

Packaging group: III

EMS Number: F-A, S-B

Marine pollutant: No

Proper Shipping Name: Corrosive solid, basic, organic, n.o.s. (Sodium Hydroxide), 8, UN3263, PG III

#### Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 8

UN/ID Number: UN3263

Label: 8

Packaging group: III

Proper shipping name: Corrosive solid, basic, organic, n.o.s. (Sodium Hydroxide), 8, UN3263, PG III

### SECTION 15: REGULATORY INFORMATION

Additional Regulatory Information:

UNITED STATES:

Toxic Substances Control Act (TSCA) Inventory of Existing Chemical Substances:	NONE
--	------

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311/312 (40 CFR 370.2):

Health:	NONE
Physical:	NONE

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

N/A

Reportable Quantity (40 CFR 302.4):


N/A

California Right-to-Know Regulations (Prop. 65)

NONE

## SECTION 16: OTHER INFORMATION

## NFPA



## HMIS

JPMS The Relaxer Regular Strength	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

**HAZARD RATING SYSTEMS:** This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

**NPCA-HMIS NFPA 704 KEY: NPCA-HMIS/NFPA 704**

HEALTH	1	0	4=Severe/Extreme
FLAMMABILITY	0	0	3=Serious/High
REACTIVITY	0	0	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

## ADDITIONAL INFORMATION

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this SDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

**EXPLANATION OF ABBREVIATIONS:**

CAS# - Chemical Abstract System No.  
 EINECS# - European Inventory of Existing Chemical Substance  
 DOT - Department Of Transportation  
 IMDG - International Maritime Dangerous Goods  
 N/A - Not Applicable  
 HMIS - Hazardous Material Identification System  
 NFPA - National Fire Protection Association  
 OSHA - Occupational Safety and Health Administration  
 EMS- Environmental Management System  
 ICAO-TI - International Civil Aviation Organization Technical Instructions  
 IATA - DGR - International Air Transport Association Dangerous Goods Regulations  
 SARA - Superfund Amendments and Reauthorization Act Title I, II, III

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Bocchi Laboratories makes no expressed or implied warranty of merchantability or fitness for a particular purpose, performance or usage of trade. The above information is based on the present state of our knowledge of the product at the time of publication. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy oneself that the product is entirely suitable for one's purposes.

**DISCLAIMER** This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bocchi Laboratories to be dependable and is accurate

to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Bocchi Laboratories assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

Due to remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Bocchi Laboratories makes no representations as to its completeness or accuracy. Information obtained from a database may not be as current as the information in the SDS available directly from Bocchi Laboratories.